

# Safety Data Sheet

Issue Date: 22-Mar-2013

Revision Date: 03-Mar-2014

Version 1.0

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Non-Butyl Heavy Duty Foaming Degreaser

### Other Means of Identification

**Product Code** 10085632 / 10079848

### Recommended use of the Chemical and Restrictions on Use

**Recommended Use** Alkali degreaser concentrate. For industrial use.

### Details of the Supplier of the Safety Data Sheet

Pollock  
1 Pollock Place  
Grand Prairie, TX 75050

### Emergency Telephone Number

**Company Phone Number** Phone Number 1-800-843-7320  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International) Customer Number: 77538  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Red **Physical State** Liquid **Odor** None

### Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

### Signal Word

**Danger**

### Hazard Statements

Causes severe skin burns and eye damage.



### Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash face, hands and any exposed skin thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a poison center or doctor/physician.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
Wash contaminated clothing before reuse.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Immediately call a poison center or doctor/physician.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

### Precautionary Statements - Storage

Store locked up.

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

### Other Hazards

Harmful to aquatic life with long lasting effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Sodium Metasilicate	6834-92-0	1-5
Dipropylene Glycol Monomethyl Ether	34590-94-8	1-5
Dipropylene Glycol Monobutyl Ether	29911-28-2	1-5
Tetrasodium EDTA	64-02-8	1-5
Sodium Hydroxide	1310-73-2	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

#### First Aid Measures

<b>Eye Contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get immediate medical advice/attention. If possible, continue to flush eyes with running water until medical attention is received.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse.
<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately.
<b>Ingestion</b>	Rinse mouth. Drink large amounts of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention immediately.

#### Most Important Symptoms and Effects

<b>Symptoms</b>	Corrosive to eyes. Corrosive and irritating to upper respiratory tract. Prolonged contact may even cause severe skin irritation or mild burn.
-----------------	---

#### Indication of any Immediate Medical Attention and Special Treatment Needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam.

#### Unsuitable Extinguishing Media

Not determined.

#### Specific Hazards Arising from the Chemical

None known.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

<b>Personal Precautions</b>	Use personal protection recommended in Section 8.
<b>Environmental Precautions</b>	Avoid release to the environment.

#### Methods and Material for Containment and Cleaning Up

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for Clean-Up</b>	Collect in a clean, dry waste container for disposal. Dilute remaining residue with water and neutralize with dilute acetic acid (vinegar).

**7. HANDLING AND STORAGE**

**Precautions for Safe Handling**

**Advice on Safe Handling** Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

**Conditions for Safe Storage, including any Incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Protect from freezing.

**Incompatible Materials** Acids. Oxidizing agents.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Metasilicate 6834-92-0	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	-
Dipropylene Glycol Monomethyl Ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

**Appropriate Engineering Controls**

**Engineering Controls** General ventilation sufficient.

**Individual Protection Measures, such as Personal Protective Equipment**

**Eye/Face Protection** Splash goggles or safety glasses.

**Skin and Body Protection** Rubber, Nitrile, PVC, or other chemically resistant skin protection to prevent contact.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on Basic Physical and Chemical Properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	None
<b>Appearance</b>	Clear	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Red		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	12.5-13.0	
Melting Point/Freezing Point	~ 0 °C / ~32 °F	
Boiling Point/Boiling Range	~ 100 °C / ~212 °F	
Flash Point	Not applicable	

<b>Evaporation Rate</b>	Not determined	
<b>Flammability (Solid, Gas)</b>	n/a-liquid	
<b>Upper Flammability Limits</b>	Not determined	
<b>Lower Flammability Limit</b>	Not determined	
<b>Vapor Pressure</b>	Not determined	
<b>Vapor Density</b>	Not determined	
<b>Specific Gravity</b>	1.06	
<b>Water Solubility</b>	Completely soluble	@ 25 °C (77 °F)
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Auto-ignition Temperature</b>	Not determined	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	Not determined	
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to Avoid

Keep out of reach of children. Keep from freezing.

### Incompatible Materials

Acids. Oxidizing agents.

### Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

## 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Product Information

<b>Eye Contact</b>	Causes severe eye damage.
<b>Skin Contact</b>	Causes severe skin burns.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	Do not taste or swallow.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Metasilicate 6834-92-0	= 600 mg/kg ( Rat )	-	-
Dipropylene Glycol Monobutyl Ether 29911-28-2	= 1620 µL/kg ( Rat )	= 5860 µL/kg ( Rabbit )	> 2.04 mg/L ( Rat ) 4 h = 42.1 ppm ( Rat ) 4 h
Dipropylene Glycol Monomethyl Ether 34590-94-8	= 5230 mg/kg ( Rat )	= 9500 mg/kg ( Rabbit )	-
Tetrasodium EDTA 64-02-8	= 10 g/kg ( Rat )	-	-
Sodium Hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-

### Information on Physical, Chemical and Toxicological Effects

**Symptoms** Please see section 4 of this SDS for symptoms.

**Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure**

**Carcinogenicity** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Chronic Toxicity** Chronic exposure may cause liver, kidney and/or blood disorders.

**Numerical Measures of Toxicity**

Not determined

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Metasilicate 6834-92-0	-	210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	-	216: 96 h Daphnia magna mg/L EC50
Dipropylene Glycol Monobutyl Ether 29911-28-2	-	841: 96 h Poecilia reticulata mg/L LC50 static	-	-
Dipropylene Glycol Monomethyl Ether 34590-94-8	-	10000: 96 h Pimephales promelas mg/L LC50 static	-	1919: 48 h Daphnia magna mg/L LC50
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodemus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	-	610: 24 h Daphnia magna mg/L EC50
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-	-

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Dipropylene Glycol Monomethyl Ether 34590-94-8	-0.064

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Sodium Hydroxide 1310-73-2	Toxic Corrosive

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT** UN3266, Corrosive Liquid, Basic, Inorganic, N.O.S. (Sodium Hydroxide), 8 PG II

**IATA**

**IMDG**

**15. REGULATORY INFORMATION**

**International Inventories**

Not determined

**US Federal Regulations**

**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 311/312 Hazard Categories**

Acute Health Hazard Yes  
 Chronic Health Hazard Yes  
 Reactive Hazard Yes

**SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Dipropylene Glycol Monomethyl Ether	34590-94-8	1-5	1.0

**CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb			X

**US State Regulations**

**U.S. State Right-to-Know Regulations**

Chemical Name	State List
Dipropylene Glycol Monomethyl Ether 34590-94-8	MA, NJ, PA
Sodium Hydroxide 1310-73-2	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines  
 CT – Connecticut Hazardous Air Pollutants  
 CA – California Director’s List of Hazardous Substances  
 CAP65 – California Prop 65  
 FL – Florida Substances List  
 ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminate- Carcinogenic  
 MA – Massachusetts Right to Know List  
 MN – Minnesota Hazardous Substances List  
 NJ – New Jersey Right to Know List  
 PA – Pennsylvania Right to Know List  
 RI – Rhode Island Hazardous Substances List

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Instability</b> Not determined	<b>Special Hazards</b> Not determined
<b>HMIS</b>	<b>Health Hazards</b> 3	<b>Flammability</b> 0	<b>Physical Hazards</b> 0	<b>Personal Protection</b> Not determined

Issue Date: 22-Mar-2013  
Revision Date: 03-Mar-2014  
Revision Note: New format Version 1.0

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

\*Denotes changes from last version.

**End of Safety Data Sheet**